

PRINTED CARPETS

EXPODECOR

100% creative carpets

Printed needlepunched carpets

for events, trade fairs, exhibitions, shops...

100%
RECYCLABLE
CARPET



© IJV, IFAS-2017




© COMPOSITION



 **SOMMER**
FLOORING

Collection 2025



Design size (repetition) : 50 cm (w) x 57 cm (h)

PARIS PAVEMENT

Ref

1,5 x 30 m*

PARISC150

2 m width on order (mini 10 m²). Please contact us.



Design size (repetition) : 150 cm (w) x 61 cm (h)


GRASS

Ref

1,5 x 30 m*

GRASSC150

2 m width on order (mini 10 m²). Please contact us.



Design size (repetition) : 50 cm (w) x 52,5 cm (h)


VINTAGE WOODEN FLOOR

Ref

1,5 x 30 m*

VINTAGEC150

2 m width on order (mini 10 m²). Please contact us.



Design size (repetition) : 51 cm (w) x 217 cm (h)

WOODEN FLOOR

Ref

1,5 x 30 m*

WOODC150

2 m width on order (mini 10 m²). Please contact us.

IMPORTANT

All our printed carpets are delivered without protective film.
We cannot guarantee 100% the exact joint between 2 printed carpet rolls laid side by side.
Indeed, printing generates a slight stretching of the carpet resulting in a slight deformation of the pattern of up to ± 3 cm every meter.
Nonetheless, even with this variation, the result will be outstanding.

** Rolls length may vary slightly.
Please contact us.*



PAVEMENT

Ref

2 x 30 m*

PAVEMENTC2



RAINBOW

Ref

2 x 30 m*

RAINBOWC2



Design size (repetition) : 150 cm (w) x 176 cm (h)

AQUA

Ref

1,5 x 30 m*

AQUAC150

2 m width on order (mini 10 m²). Please contact us.



Design size (repetition) : 109 cm (w) x 73 cm (h)

COUNTRY GARDEN

Ref

1,5 x 30 m*

COUNTRYC150

2 m width on order (mini 10 m²). Please contact us.



PRINTED CARPETS



Technical data

Surface: flat needlepunch

Backing: impregnated

Fibres: 100 % polyester

Total weight: 400 g/m² ± 10%

Installation with a double-sided tape



Create your own carpet !

From a picture, a logo or just an idea and dimensions, our team print your custom-made carpet. See our printed carpets on our website !

CE ASQUAL 13
N° 0334-CPR-201
EN 14041 : 2005
DOP46

UK CA BTTG 23
N° 0338-CPR-5576
EN 14041 : 2005
DOPUK46

NPD

B_{fl} s1 Loose laid on any A2fl or A1fl class substrate

Formaldehyde E1
Pas de PCP - No PCP

ÉMISSIONS DANS L'AIR INTÉRIEUR
A+
A+ A B C

*Information on the level of emissions of volatile substances in indoor air, with a risk of inhalation toxicity, on a class scale from A+ (very low emissions) to C (high emissions)



PRINTED-CARPETS-2025-A1-1224 / Credit photos Sommer
Sommer has the right to alter each product specification in order to improve the product according to latest standards.



Sommer Flooring Ltd
22 Spitfire Close
Coventry – CV5 6UR
www.sommerltd.com

Tel : 024 7798 1711
E-mail : info@sommerltd.com

